



TEST REPORT

Client	LAKUDIA HELLAS LTD
Client's address	SYGGROU AVENUE 76
Sample description	ΕΛΑΙΟΛΑΔΟ
Sampling	As stated by client: CLIENT
Date of sample receipt	15/01/2020
Date of Import	15/01/2020
Sample code	2020-1967
Type of analysis	Determination of Pesticide Residues

The results of this certificate are valid only for the analyzed samples.
This certificate can only be reproduced in whole.
Partial reproduction allowed only with written consent of AGROLAB S.A.
For any information please contact the commercial department.

Results

Sample Code 2020-1967
Period of Analysis 15/01/2020 - 20/01/2020
Client's Declaration SAMPLE EVOO P.G.I. ΠΑΠΑΔΙΑΝΙΚΑ / ΑΓΙΟΣ ΔΗΜΗΤΡΙΟΣ -13/01/2020
Sample condition upon receipt Acceptable

Active Ingredient	Result (mg/kg)	MRL (mg/kg)	EU MRL Source
NO A.I. QUANTIFIED			

1. The rest active ingredients are not determined at the reporting limit of the methods.
2. Method uncertainty (95%): $\pm 50\%$
3. Information of EU MRLs and the rest data at:
<http://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/public/?event=homepage&language=EN>
4. The company does not accept any responsibility for the aforementioned MRLs which are given only for informational purposes, and which is to our knowledge until the adoption day of the current certificate.
5. The time of retention of the Sub-sample is one month from the date of the issuing of the present certificate, unless otherwise instructed by the client. This refers only to samples which can be kept during this period of time in appropriate conditions.

Evgenios Kokkalis / Chemist, Ph.D.



Residue Laboratory Athens

(P062 Athens) Oils & Fats Accredited LC-MS/MS – GC-MS/MS (88 active ingredients)

- Μέθοδος ανάλυσης / Method of analysis: Modified Method of analysis, Code No. O.B.05.48 (EN 15662:2018 & SANTE/ 11813/2017 of the European Commission)
- Τα Όρια Αναφοράς της μεθόδου είναι στο 0.01 mg/Kg (ppm) /The Reporting Limit of the method is at 0.01 mg/Kg (ppm)
- Οι παρακάτω δραστικές αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following active ingredients were analyzed with the above-mentioned methods

2,4-DDD, 2,4-DDT, 4,4'-DDD, 4,4'-DDE, 4,4'-DDT, Abamectin, Acetamiprid, Acrinathrin, Aldrin, Amitraz metabolite BTS 27271, Azinphos-ethyl, Azinphos methyl, Azoxystrobin, BAC-C10, BAC-C12, BAC-C14, BAC-C16, BAC-C18, Biphenthrin, Chlorfenvinphos, Chlorpyrifos-ethyl, Chlorpyrifos-methyl, Cyfluthrin, Cypermethrin, Deltamethrin, Dichlorvos, Didecyldimethylammonium chloride (DDAC, alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12), Dieldrin, Difenoconazole, Diflufenican, Dimethoate, Endosulfan a, Endosulfan b, Endosulfan sulfate, Endrin, Ethion, Ethoprophos, Fenamiphos, Fenbuconazole, Fenitrothion, Fenoxycarb, Fenthion, Fenthion sulfone, Fenthion sulfoxide, Florasulam, Fluazulfuron, Flumioxazine, Iodosulfuron, Isodrin, Kresoxim-methyl, L Cyhalothrin, Malaoxon, Malathion, Mefenpyr, Metalaxyl, Methamidophos, Methidathion, Omethoate, Oxyfluorfen, Paraoxon, Parathion methyl, Penoxsulam*, Permethrin, Phenthoate*, Phosmet, Phosmet oxon, Piperonyl butoxide, Pirimiphos methyl, Propargite, Prophenophos, Pyraclostrobin, Pyrazophos, Pyrethrins, Pyriproxyfen, Resmethrin*, Spinetoram*, Spinosad A* & D*, Spirotetramat (Spirotetramat metabolite BYI08330-cis-enol, Spirotetramat metabolite BYI08330-cis-keto hydroxy, Spirotetramat metabolite BYI08330-mono-hydroxy, Spirotetramat metabolite BYI08330-enol-glucoside), Tebuconazole, Tefluthrin, Thiocloprid, Thiamethoxam, Triadimefon, Triadimenol, Tribenuron methyl*, Trifloxystrobin.*

* οι συγκεκριμένες δραστικές ουσίες είναι εκτός του Πεδίου Διαπίστευσης (αριθμός Πιστοποιητικού 44), σύμφωνα με το πρότυπο ΕΛΟΤ EN ISO 17025 / The particular active ingredients are not included to the Scope of Accreditation (Certificate number 44), according to the standard ELOT EN ISO 17025.